

High Reach Boom Set Trailer

Unit shown Made for Volvo EC380EHR and EC480EHR

Offered by Doonan Truck And Equipment of Wichita Inc.



* Trailer does not show all options available





Goose neck area made for carrying tools 3 D rings per side

Half of main trailer has deck so tools can be mounted on the sides.

Trailer can also be used for moving other items when boom is not stored.

Full deck to front axle optional



Rear platform is used for safety when mounting boom to machine . No latter required.



Equipped with lockable toolbox for chains binders and boom mounting equipment.





Rear deck raised 7" for extra clearance From 2022 models



Full fenders and Flaps standard equipment
22.5" Chrome wheels standard also.

Air suspension standard
Quick drop valve makes it easy to lower trailer
when mounting boom to the machine





When trailer and machine terrain do not match simply use these jackets to align the boom for simple installation.

Standard trailer
spec

53' Overall Length

8'6" wide

8' x 8' Upper Storage

Upper Tie Downs

2-Front Side Storage 30" X 13'

Suspension Dump Valve

Rear Leveling Jacks

22.5" Alum Wheels

Storage Toolbox

Rear Fenders (4)

2-22.500 Capacity Axles

Air Brakes

50,000 GVWR

Anti-Skid Brakes

by Meritor 2S1M

Rear Lowered Platform 8' x 8'

Rear HD Boom Rest

Side Mounted Air Tank

with cover for Multiple Boom Applications ie: Volvo EC 380EHR

Painted Volvo Color to Match Boom

Custom Colors Available

Truck-Lite brand lights and Sealed Harness Plug & Play with LED lights

Hendrickson Air Suspension HT250 25K capacity

Auto Slack Adjusters

3030 HD Parking Brakes (4)

16.5' x 7' Brakes

Outboard

Drums for Quick Change

Holland Mark 5 160K Landing Gear

Frame Hi Tensile Steel

Bead Blasted, 3 Mill Primer, 2 Mill paint, 1 Mill of Clear Coat Baked On



MILBURN®

76



FRATTALONE

Fratallone

610