

High Reach Boom Set Trailer

Units shown Made for Volvo EC750EHR

Offered by Doonan Truck And Equipment of Wichita Inc.



This is the 118'
boom Set trailer



The trailer was designed to load the boom to the base machine over the goose neck keeping the overall length to 53'

No over-length permits required.



Volvo 118' Boom Hauling Trailer

53' Overall Length

8'6" wide

Suspension Dump Valve

Rear Leveling Jacks

17.5" Alum Wheels

Storage Toolbox

Rear Fenders (4)

2-22.500 Capacity Axles

Air Brakes

60,000 GVWR

Anti-Skid Brakes by Meritor 2S1M

Side Mounted Air Tank with cover for Multiple Boom Applications

Painted Volvo Color to Match Boom Custom Colors Available

Truck-Lite brand lights and Sealed Harness Plug & Play with LED lights

Hendrickson Air Suspension HT250 25K capacity

Auto Slack Adjusters

3030 HD Parking Brakes (4)

12.25" Brakes

Outboard Drums for Quick Change

Holland Mark 5 160K Landing Gear Frame Hi Tensile Steel

Bead Blasted, 3 Mill Primer, 2 Mill paint, 1 Mill of Clear Coat Baked On

This is the 85' boom set carried so the boom can load to the base machine from the rear.

Trailer is 47' long easy to get into tight areas.

Full deck area so trailer can also be used for moving attachments with the boom.



Standard trailer
spec

47' Overall Length	8'6" wide
8' x 8' Upper Storage	Upper Tie Downs
Side Storage full length	Suspension Dump Valve
22.5" Alum Wheels	2-22.500 Capacity Axles
Air Brakes	50,000 GVWR
Anti-Skid Brakes by Meritor 2S1M	Rear HD Boom Rest
Painted Volvo Color to Match Boom	(Custom Colors Available)
Truck-Lite brand lights and Sealed Harness Plug & Play with LED lights	
Hendrickson Air Suspension HT250 25K capacity	
Auto Slack Adjusters	3030 HD Parking Brakes (4)
16.5' x 7' Brakes	Outboard Drums for Quick Change
Holland Mark 5 160K Landing Gear	Frame Hi Tensile Steel
Bead Blasted, 3 Mill Primer, 2 Mill paint, 1 Mill of Clear Coat Baked On	